
ZHONGZHI

泉州众志新材料科技有限公司

QUANZHOU ZHONGZHI NEW MATERIAL TECHNOLOGY CO.,LTD.

# 磨抛工具

Diamond Grinding&Polishing Tools




泉州众志新材料科技有限公司

QUANZHOU ZHONGZHI NEW MATERIAL TECHNOLOGY CO.,LTD.

地址：中国福建省泉州市洛江区河市滨水路中段

Add:Binshui Road,Heshi,Luojiang,Quanzhou,Fujian,China

Tel:0086-595-22630018

Fax:0086-595-22631098

http://www.zhongzhi.biz

ZHONGZHI

# CONTENT


| | |
|---|---|
| **瓷砖加工工具** | **ABRASIVE FOR CERAMIC** |
| 弹性磨块 | Glazd Polishing Abrasive |
| 磨轮 | Metal/Resin Diamond Squaring Wheel |
| 抛晶砖磨片 | Abrasive for Polished Crystal Tiles |
| 滚筒 | Diamond Calibrating Roller |
| 金属/树脂瓷砖布拉 | Metal/Resin Diamond Fickere |
| 菱苦土磨块 | Magnesite Abrasive |
| **石材加工工具** | **STONE GRINDING & POLISHING TOOLS** |
| 湿磨片 | Wet Polishing Pad |
| 干磨片 | Dry Polishing Pad |
| 树脂磨盘 | Resin Grinding Disc |
| 金属/树脂石材布拉 | Metal/Resin Diamond Fickere |
| 蜂窝磨片 | Cellular pad |
| 石材倒角轮 | Chamfering Wheel |
| 地板翻新片 | Floor Polishing Pad |
| 干、湿两用磨片 | Wet & Dry Polishing Pad |
| **人造石加工工具** | **ARTIFICIAL STONE GRINDING & POLISHING TOOLS** |
| 人造石磨片 | Polishing Pad |
| 人造石蜂窝磨片 | Cellular Polishing Pad |
| 人造石倒角轮 | Chamfering Wheel |
| 环形磨块 | Circular Grinding Wheel |
| 马蹄磨块 | Metal Bond biam and Frankfurt |
| 金属/树脂人造石布拉 | Metal/Resin Diamond Fickere |



## ■ 公司简介

泉州众志新材料科技有限公司位于福建省泉州市，成立于1991年，是一家中外合资的股份制实业公司。作为中国金刚石工具行业最有影响力的公司之一，公司多年来一直致力于不同用途的金刚石工具的研究、开发和生产，在行业内首先提出“品质驱动事业，服务联系未来”的品牌经营理念，并形成了以产品研发，制造生产，出口贸易，售后服务为核心的现代企业经营体系。

经过多年来的经营，众志品牌形象已为越来越多的客户认可。产品品质的稳定和高效，驱动更多客户成就他们的事业；优异的售后，将众志与更多客户越来越紧密的联系起来。

目前，众志品牌产品包括“石材切割工具，石材磨削工具，异形/瓷砖工具，工程项目工具和树脂金刚石工具”五大系列，涉及矿山开采，石材初加工，深加工，建筑工程各个领域，所辖三个厂区，继续走在中国金刚石工具行业的前端。

泉州众志金刚石工具有限公司凝聚了一支实力雄厚的技术队伍和一批丰富专业经验的熟练工人，与科研单位、高等院校合作，具有强大的研究，开发，生产不同用途金刚石工具的能力。公司早在2005年通过ISO9001：2000质量管理体系认证，获得UKAS认证证书。在生产管理过程中，全面采用品质管理体系与完美的社会责任体系，使员工在一个舒适，和谐生产环境中，高效，优质的生产各种金刚石工具。

公司始终坚守“诚信为本，创新为魂，持续改进，追求卓越”的经营理念，创造更好更新的产品，向客户提供良好的售前售后服务是我们永远的追求，让我们携手共创辉煌。





## OVERVIEWS

Zhongzhi founded in 1989 as a Sino-foreign Joint Venture incorporated company. As one of the most influential companies in diamond tool industry, we devote ourselves to researching and developing diamond tools in different functions for decades. Under the management conception of “Quality makes achievements, service creates future”, we have combined developing, manufacturing, producing, processing, exportation & service together into our coordinate modern enterprise system.

With years of business experience, Zhongzhi brand image has been accepted by more and more customers. For the stable quality and high efficiency, our products help many customers make great achievements. Excellent after-service allows Zhongzhi and the customers become closer and closer.

At present, we have three production branches. Our products range from stone cutting tools, stone grinding tools,special shape to tile processing tools, construction tools and resin polishing tools, which are widely used in quarrying, stone processing and construction etc. All these allow Zhongzhi to become one of leaders in China diamond tool industry.

We own strong technical force and skillful workers, keep long term cooperation with diamond technological research institute to work for technical innovation. Earlier in 2005, our company had passed the ISO9001：2000 certificate and was authorized by UKAS. All of our production and inspection are strictly controlled according to the International Standard. Meanwhile, we share a comfortable and harmonious working environment within the social liability system to ensure premium quality diamond products.

We stick to the management principle: Integrity the first, Innovation the core, Continuous improvement, Strive for excellence. With this concept, we are creating more and more excellent products and providing better and better service. Let’s win together hand by hand.

Attestation business enterprise of ISO 9001:2000

(Certificate CN05/01077)

other specifications
are available upon the request of clients.


ZHONG ZHI
Φ300MM
Φ50mm Hole
Wet Cut Blade
For artificial stone
ROTATION


# 瓷砖加工工具
# ABRASIVE FOR CERAMIC TILES



ZHONGZHI



## 弹性磨块 Glazed Polishing Abrasive



### 曲线型弹性磨块 Curved Type Glazed Polishing Abrasive

曲线型弹性磨块应用于全抛釉面砖、半抛釉面砖、抛晶砖、微晶砖、凹凸面、羊皮面等釉面砖的磨抛，适用于连续磨抛线，款式多样，适合不同加工对象。具有形好防、平整度高、磨削力强、无磨痕、使用寿命长等特点，抛光光泽度有高光、半光、亚光之艺术效果。

主要粒度有：120#、150#、180#、240#、320#、400#、600#、800#、1000#、1200#、1500#、2000#、3000#、6000#。

Curved type glaze polishing abrasives are used on normal continuous polishing line, it is mainly used for glaze full polishing & semi-polishing, crystal tile polishing, micro crystal tile polishing, roughness surface polishing, sheepskin surface polishing,etc. With varieties of shapes, our glaze polishing abrasives are suitable for different processing objects and are approved for their excellent sharpness without grinding scratches, long working life, high working efficiency which can resulted into a high gloss, semi-gloss, matte effects as requirement.

Main great : 120#、150#、180#、240#、320#、400#、600#、800#、1000#、1200#、1500#、2000#、3000#、6000#.



### 直线型弹性磨块 Linear Type Glazed Polishing Abrasive

直线型弹性磨块应用于全抛釉面砖、半抛釉面砖、抛晶砖、微晶砖、凹凸面、羊皮面等釉面砖的磨抛，适用于连续磨抛线，款式多样，适合不同加工对象。具有防形好、平整度高、磨削力强、无磨痕、使用寿命长等特点，抛光光泽度有高光、半光、亚光之艺术效果。

主要粒度有：120#、150#、180#、240#、320#、400#、600#、800#、1000#、1200#、1500#、2000#、3000#、6000#。


Square teeth type glaze polishing abrasives are used on normal continuous polishing line, it is mainly used for glaze full polishing & semi-polishing, crystal tile polishing, micro crystal tile polishing, roughness surface polishing, sheepskin surface polishing,etc. With varieties of shapes, our glaze polishing abrasives are suitable for different processing objects and are approved for their excellent sharpness without grinding scratches, long working life, high working efficiency which can resulted into a high gloss, semi-gloss, matte effects as requirement.

Main great: 120#、150#、180#、240#、320#、400#、600#、800#、1000#、1200#、1500#、2000#、3000#、6000#.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| L140*H8.5/H10/H12/H15<br>L100*H8.5/H10/H12/H15 | 根据客户要求Upon request | Ceramic<br>瓷砖 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |

other specifications
are available upon the request of clients.

## 磨轮 Metal/ Resin Diamond Squaring Wheel



### 金属磨边轮 Metal-Bond Diamond Squaring Wheel

金属磨边轮主要用于瓷砖四周边缘的修整，使加工对象得到规定的尺寸和形状。本产品锋利度好、易排屑、使用寿命长、性价比高、磨削质量好、工作噪音低、加工表面光滑、不易崩边。

Metal-bond diamond disc squaring wheel is the most common used squaring tools for ceramic tiles edges to achieve the precision size and shape.
Our metal-bond diamond disc squaring wheel are approved for their good sharpness, ideal debris removal, long life , high performance, low noise, which makes the tiles get smooth and full edges.

| 规格 Specification | 刀头尺寸(L×W×H) Segment dimension | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|---|
| D200<br>D250<br>D300 | 22/20*8*12 | Upon request<br>根据客户要求 | Ceramic<br>瓷砖 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |




### 树脂水磨轮 Resin-Bond Diamond Squaring Wheel

树脂水磨轮主要用于各种瓷砖的精细磨边，具有锋利度好、不黑边、磨削面平直光滑、使用寿命长，工艺控制严格，质量稳定等特点。

Resin-bond wet squaring wheel is commonly used for fine polishing for ceramic tile edges with water. Our resin-bond wet squaring wheels are approved for their good sharpness, high edge smoothness and stable quality due to our strict quality control during the production.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| D200*25*15<br>D250*40*15<br>D300*40*15 | Upon request<br>根据客户要求 | Ceramic<br>瓷砖 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |


瓷砖加工工具
ABRASIVE FOR CERAMIC TILES



### 树脂干磨轮A Resin-Bond Dry Squaring Wheel A

树脂干磨轮主要用于在不需水冷却的条件下，对瓷砖、瓷片进行精细磨边，从而达到传统湿法修边的效果。具有磨削效果好、精细平滑、耐用性强、使用寿命长、锋利度好，工艺控制严格，质量稳定等特点。

Resin-bond dry squaring wheel is commonly used for fine polishing for ceramic tile edges without water; it has the effect of the traditional wet polishing for edges. Our resin-bond dry squaring wheels are approved for their excellent working effect, high precision, long life, good sharpness, and stable quality due to our strict quality control during the production.



### 树脂干磨轮B Resin-Bond Dry Squaring Wheel B

树脂干磨轮主要用于在不需水冷却的条件下，对瓷砖、瓷片进行精细磨边，从而达到传统湿法修边的效果。具有磨削效果好、精细平滑、耐用性强、使用寿命长、锋利度好，工艺控制严格，质量稳定等特点。

Resin-bond dry squaring wheel is commonly used for fine polishing for ceramic tile edges without water; it has the effect of the traditional wet polishing for edges. Our resin-bond dry squaring wheels are approved for their excellent working effect, high precision, long life, good sharpness, and stable quality due to our strict quality control during the production.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| D200*25*15<br>D250*40*15<br>D300*40*15 | Upon request<br>根据客户要求 | Ceramic<br>瓷砖 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |



other specifications
are available upon the request of clients.

## 微晶砖磨片 Polishing Pads for Micro-Crystal Tiles.



微晶砖磨片主要用于较小规格的微晶砖平面磨抛，适用于全自动抛光流水线机械。具有锋利度好、磨削力强、装卸方便、磨削效率高、耐磨度好、环保污染少等优点。磨抛加工后的砖面清晰度高、亮度高、无划痕。

主要粒度有：50#、150#、300#、500#、1000#、2000#、3000#。

Polishing pads for micro-crystal tiles is used on polishing line for small size micro-crystal tiles surface polishing.Our micro-crystal polishing pads are approved for their good sharpness, high grinding efficiency, easy to assemble, long life and low environmental pollution which make the micro-crystal tiles get the high glossiness, shining surface with scratch.

Main grit: 50#, 150#, 300#, 500#, 1000#, 2000#, 3000#.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| D125*3.0/5.0 | Upon request<br>根据客户要求 | Micro-crystal tiles<br>微晶砖 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |

## 菱苦土磨块 Magneste Abrasive





菱苦土磨块主要用于磨削抛光砖、抛晶砖，适用于全自动抛光流水线机械。具有磨削效率高、砖面均匀性好、抛光效果好等特点。主要粒度见下表：

Magnesite Abrasive is mainly used on continuous automatic polishing line for middle grinding and fine grinding for polished tile and polished crystal tile . It has the characteristics of high grinding efficiency, good grinding effected. Main grits are as below in table:

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| L90 | Upon request<br>根据客户要求 | Polishing ceramic<br>抛光砖 | |
| L140 | Upon request<br>根据客户要求 | Polishing ceramic<br>抛光砖 | |



## 滚筒 Diamond Calibrating Roller



金刚石滚筒主要用于瓷砖砖坯的磨削，对瓷砖的表面进行定厚加工及平整。产品锋利度好、使用寿命长、磨削性能优异、工作噪音低、加工的瓷砖厚度均匀、加工表面不会划伤。

Diamond calibrating rollers are most commonly used to calibrate and achieve a uniform thickness on ceramic tiles surface before polishing.

Our diamond rollers are approved for their good sharpness, long life, excellent working effect, low working noise which makes the tiles get a uniform thickness, and left no any scratch on tile surface.

| 规格 Specification | 装配孔及基体外径<br>Mounting hole and out diameter steel core | 刀头尺寸(W×H)<br>Segment dimension | 粒度 Grit | 刃数 Spiral | 备注 Note |
|---|---|---|---|---|---|
| 200/295 | D1=192/216<br>D2=70<br>S1=110<br>S2=94 | W9*H14 | 根据客户要求<br>Upon request | 5刃<br>8刃 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |

## 瓷砖金属布拉 Metal-bond Diamond Fickert



瓷砖金属布拉主要用于抛光砖平面磨削，适用于全自动抛光流水线机械，代替普通菱苦土磨块进行粗磨。具有锋利度好、磨削力强、磨削效率高、耐磨度好、环保污染小、使用时间长、匹配性能好等优点。

主要粒度为：46#、60#、80#、100#、120#、180#、240#、320#、400#。

Metal-bond diamond fickert is used to make rough and medium grinding on ceramic tiles surface in the replace of traditional magnesia abrasives. Our metal –bond diamond fickerts are approved for their good sharpness, high grinding efficiency, excellent grinding effect, long working lifetime, low pollution.

Main grit: 46#、60#、80#、100#、120#、180#、240#、320#、400#。

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| L170*H10/H12 | Upon request<br>根据客户要求 | Polishing ceramic<br>抛光砖 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |



other specifications
are available upon the request of clients.

# 瓷砖加工工具
# ABRASIVE FOR CERAMIC TILES



## 瓷砖树脂布拉 Resin-bond Diamond Fickert

瓷砖树脂布拉主要用于磨削抛光砖平面，适用于全自动抛光流水线机械，代替普通菱苦土磨块对瓷砖进行中磨、细磨。具有锋利度好、磨削力强、磨削效率高、耐磨度好、环保污染小、使用时间长、砖面效果好等优点。

主要粒度为：180#、240#、320#、400#、600#、800#、1000#、1200#、1500#、2000#、BUFF。

Resin-bond diamond fickert is used on continuous automatic polishing line for ceramic middle grinding and fine grinding, as a new type of abrasive to replace traditional magnesite abrasive, it has the advantages of good sharpness, high grinding efficiency, excellent grinding effect, low environmental pollution, and long life.

Main grits:180#、240#、320#、400#、600#、800#、1000#、1200#、1500#、2000#、BUFF.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| L140*H27<br>L170*H20 | 根据客户要求<br>Upon request | Polished tiles<br>抛光砖 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |




# 石材加工工具
# >>>STONE GRINDING & POLISHING TOOLS



ZHONGZHI

## 湿磨片 Wet Polishing Pad




湿磨片广泛应用于花岗岩、大理石等异型石材的边角、内弧、外弧、平面。具有磨削力强、耐磨程度高、不染色、抛光效果好等特点。磨抛由粗号到细号，最后抛光。整个过程需要充分的水冷却，但在抛光阶段水量不宜太多。


主要粒度为：50#、100#、200#、400#、800#、1500#、3000#、BUFF。

Wet polishing pad, widely applied to grind and polish various stones, is mainly used for fine polishing and buffing corner, inner arc, outer arc and surface of special-shaped stones, such as granite, marble etc. The sequence of polishing is from coarse grit to fine grit, ended with buffing. Enough water is needed for cooling during the whole process, while too much is not advisable when buffing.

Main grits: 50#、100#、 200#、 400#、 800#、1500#、 3000#、BUFF.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 级别 grade | 备注 Note |
|---|---|---|---|---|
| D80*2.2/3.0<br>D100*2.2/2.5/3.0<br>D125*2.2*3.0 | Upon request<br>根据客户要求 | Granite,Marble<br>花岗岩，大理石 | A<br>B<br>C | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |

## 干磨片 Dry Polishing Pad




干磨片可在无需加水冷却的条件下高效完成对花岗岩、大理石等异型石材的边角、内弧、外弧等的抛光和研磨磨削加工，达到水磨片的抛光效果。具有磨削锋利、耐热性好、抛光光度高、不染色等优点。相比普通水磨片，可以预防石材产生水斑、黄斑、返碱等。

主要粒度为：50#、100#、200#、400#、800#、1500#、3000#、BUFF。


Dry polishing pad, which is used to polish the corner, inner arc, outer arc etc of granite, marble and so on irregular shaped stone, can finish polishing work efficiently without water, and with the strength of good sharpness, long life and high abrasion resistance. Compared to wet polishing pad, it can prevent the stone from water spot, yellow stain and accumulation of salt.

Main grits: 50#、100#、200#、400#、800#、1500#、3000#、BUFF.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| D100*2.2<br>D125*2.2 | 根据客户要求Upon request | Granite,Marble<br>花岗岩，大理石 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |



## 磨片式磨盘 Grinding Pad



磨片式磨盘配套手扶磨机或自动磨机使用，用来抛光花岗石、大理石等石材平面。颗粒分布均匀，排屑容易，可有效防止积尘，保护石材表面不被划伤。相比传统刀头式树脂磨盘，具有磨抛效率更高、光度更好、磨抛成本更低等优点。

主要粒度为： 500#、800#、1500#、2000#、3000#。

It is applied on manual or automatic grinding machine to polish the surface of stones such as granite and marble. It has evenly spaced grits and granules, and easy debris removal which can avoid the scratches on the stone surface. Competing with the normal resin grinding disc, it has higher efficiency, better glossiness, and lower cost.

Main grits:500#、800#、1500#、2000#、3000#。

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| D200*H10<br>D225*H10<br>D250*H10 | 根据客户要求Upon request | Granite,Marble<br>花岗岩，大理石 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |

## 树脂磨盘 Resin Grinding Disc



树脂磨盘配套手扶磨机或自动磨机使用，用来抛光花岗石、大理石等石材平面。磨块之间距离大，分布均匀，排屑容易，可有效防止积尘，保护石材表面不被划伤。具有磨抛效率高、光度好、磨抛成本低等优点。

主要粒度为： 500#、800#、1500#、2000#、3000#。

Resin grinding disc is suitable for hand or automatic grinding machines to polish granite，marble, etc.The retention effectively to prevent the surface of slabs form being scratched. Our resin grinding disc are approved for their excellent grinding efficiency，high glossiness and low cost，etc.

Main grits:500#、800#、1500#、2000#、3000#.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| D200*H15/H18/H20<br>D250*H15/H18/H20 | 根据客户要求Upon request | Granite,Marble<br>花岗岩，大理石 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |



other specifications
are available upon the request of clients.

## 石材金属布拉 Metal-Bond Diamond Fickert for Stone



石材金属布拉应用于单头或多头花岗岩、大理石抛光流水线机械。具有省电、高效、质量可靠等特点。
主要粒度有：30#、40#、50#、60#、80#、100#、120#、140#、170#、200#、220#、240#、320#、400#。

Metal-bond diamond fickert for stone is used on single head machine or normal automatic polishing line for granite and marble rough grinding mostly.
Our metal-bond diamond fickerts are approved for their advantages of low consumption，high grinding efficiency and stable quality，etc.
Main grits: 30#、40#、50#、60#、80#、100#、120#、140#、170#、200#、220#、240#、320#、400#.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 级别 grade | 备注 Note |
|---|---|---|---|---|
| L130/L140/L170*H17/H20 | Upon request<br>根据客户要求 | Granite,Marble<br>花岗岩，大理石 | A<br>B<br>C | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |

## 石材树脂布拉 Resin-Bond Diamond Fickert for Stone




石材树脂布拉主要用于花岗岩、大理石等石材平面的抛光，适用于全自动抛光流水线机械，代替普通菱苦土磨块对石材进行中磨、细磨、精磨。具有锋利度好、磨削力强、磨削效率高、耐磨度好、环保污染小、使用时间长、抛光效果好等优点。
主要粒度为：120#、180#、220#、320#、400#、600#、800#、1000#、1200#、1500#、2000#、BUFF。

Resin-bond diamond fickert for stone is used on automatic polishing line for granite and marble middle grinding and fine grinding & polishing mostly in replace of traditional magnesite abrasives.
Our resinl-bond diamond fickerts are approved for their good sharpness, excellent abrasivensss,high polishing efficiency,low environmental pollution,long working life and fantastic grinding effect,etc.
Main grits: 120#、180#、220#、320#、400#、600#、800#、1000#、1200#、1500#、2000#、BUFF.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| L140*H27（20+7）<br>L140*H25（17+8） | 根据客户要求Upon request | Granite,Marble<br>花岗岩，大理石 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |



## 蜂窝磨片 Cellular Polishing Pad for Stone



石材蜂窝磨片主要应用于花岗岩、大理石板材磨边，适用于各种自动磨边设备。具有锋利度好、耐磨度好、不染色、上光效果好、良品率高、磨削效率高等特点。
主要粒度为：50#、100#、200#、400#、800#、1500#、3000#。

Cellular polishing pad for stone is mostlay used on various automatic polishing line for granite and marble water baffles polishing mostly.
Our Cellular polishing pads are approved for their good sharpness, excellent abrasiveness, non-staining, stable quality, high glossiness and working effeciency, etc.
Mani grits: 50#、100#、200#、400#、800#、1500#、3000#.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| D125/D150x10.0 | 根据客户要求Upon request | Granite,Marble<br>花岗岩，大理石 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |

## 石材倒角轮 Stone Chamfering Wheel



石材倒角轮主要应用于花岗岩、大理石板材倒角，适用于各种自动倒角设备。具有锋利度好、耐磨度好、不染色、上光效果好、良品率高、磨削效率高等特点。
主要粒度为：50#、100#、200#、400#、800#、1500#、3000#。

Chamfering wheel for stone is mostly used on various automatic chamfering equipments for grante and marble slabs .
Our chamfering wheels are approved for their good sharpness, excellent abrasiveness, non-staining, stable quality, high glossiness and working effeciency, etc.
Mani grits: 50#、100#、200#、400#、800#、1500#、3000#.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| D125/D150x6.0 | 根据客户要求Upon request | Granite,Marble<br>花岗岩，大理石 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |



other specifications
are available upon the request of clients.

# 石材加工工具
# STONE GRINDING & POLISHING TOOLS



## 地板翻新片 Floor Polishing Pad


地板翻新片主要用于石材地板的翻新打磨抛光，增加石材的光泽度和美观度，使其翻新后达到相当好的效果，适用于手磨机和地板翻新机。

主要粒度为：50#、100#、200#、400#、500#、800#、1000#、1500#、3000#、5000#。

Floor polishing pad, is mainly used for restoring and grinding floor of stone, to achieve pretty excellent effects by increasing the glossiness and beauty of the floor. It is designed for hand grinder or floor polishing machines,

Main grits: 50#、100#、200#、400#、500#、800#、1000#、1500#、3000#、5000#.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| D100*10.0<br>D100*6.0 | Upon request<br>根据客户要求 | Granite, marble<br>花岗岩，大理石 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |



## 干、湿两用磨片 Wet & Dry Polishing Pad

干、湿两用磨片采用最新材料与技术结合，用于花岗岩、大理石的干湿磨，具有锋利、耐磨、光泽度好等特点，深受广大客户青睐。

主要粒度为：50#、100#、200#、400#、500#、800#、1000#、1500#、3000#。

Our wet & dry polishing pad has combined the most advanced new material and technology with advantages of good sharpness,excellent abrasiveness,it is highly praised for customers from domestic and overseas.

Main grits: 50#、100#、200#、400#、500#、800#、1000#、1500#、3000#.


| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| D100*2.2 | 根据客户要求Upon request | Granite,Marble<br>花岗岩，大理石 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |

# 人造石加工工具
# >>>ARTIFICIAL STONE GRINDING & POLISHING TOOLS



ZHONGZHI


## 人造石磨片 Polishing Pad for Artificial Stone



人造石磨片主要应用于人造石英石、人造岗石等异型石材的边角、内弧、外弧、平面的精磨与抛光。相比于普通湿磨片，具有锋利度高，不染色，上光效果好等特点。磨抛顺序：由粗号到细号，最后抛光。整个过程需要水冷却，但在抛光阶段水量不宜太多。
主要粒度为：50#、100#、200#、400#、800#、1500#、3000#。


Polishing pad for artificial stone is widely applied to grind and polish corners, inner arcs, outer arcs and surface of artificial quartzite and artificial granite, etc. Compared with normal wet polishing pad, it has the advantage of good sharpness, long working lifetime, non-staining, etc. Using sequence: from rough girt to fine grit, finally to buffing.Enough water is needed for cooling during the whole process, while too much it not advisable when buffing (2000# to fine)
Mani grits: 50#, 100#, 200#, 400#, 800#, 1500#, 3000#.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| D80*2.2/3.0<br>D100*2.2/2.5/3.0<br>D125*2.2/3.0 | 根据客户要求Upon request | artificial quartzite and artificial granite<br>人造石英石/人造岗石 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |





## 人造石蜂窝磨片 Cellular Polishing Pad for Artificial Stone





蜂窝磨片主要应用于人造石英石、人造岗石板材磨边，适用于各种自动磨边设备。具有锋利度好、耐磨度好、不染色、上光效果好、良品率高、磨削效率高等特点。
主要粒度为：100#、200#、400#、800#、1500#。

Cellular polishing pad for artificial stone is used on various automatic polishing line for water baffles polishing of artificial quartzite and artificial granite etc.
Our cellular polishing pads are approved for their good sharpness, excellent abrasiveness, non-staining, stable quality, high glossiness and instant polishing effect, etc.
Mani grits: 100#, 200#, 400#, 800#, 1500#.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| D125*8.0<br>D150*8.0 | 根据客户要求Upon request | artificial quartzite and artificial granite<br>人造石英石/人造岗石 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |



## 人造石倒角轮 Chamfering Wheel for Artificial Stone



人造石倒角轮主要应用于人造石英石、人造岗石板材倒角，适用于各种自动倒角设备。具有锋利度好、耐磨度好、不染色、上光效果好、良品率高、磨削效率高等特点。
主要粒度为：400#、600#、800#、1000#、1500#、2000#、3000#、4000#。

Chamfering wheel for artificial stone is used on various automatic chamfering equipments for edge chamfering .
Our chamfering wheels are approved for their good sharpness, excellent abrasiveness, non-staining, stable quality, high glossiness and instant polishing effect, etc.
Mani grits: 400#, 600#, 800#, 1000#, 1500#, 2000#, 3000#, 4000#.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| D125*6.0<br>D150*6.0 | 根据客户要求Upon request | artificial quartzite and artificial granite<br>人造石英石/人造岗石 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |

other specifications
are available upon the request of clients.




## 环形磨块 Circular Grinding Wheel

环形磨块应用于人造石英石、人造岗石的刮平、定厚，适用于抛光流水线机械。具有锋利度好、磨削效率高、使用寿命长、性价比高、划痕细等特点。
主要粒度：30#、40#、60#、80#、120#。

Circular grinding wheel is used on automatic polishing line for surface calibrating and grinding for artificial stone, etc.
Our circular grinding wheels are approved for their good sharpness, excellent abrasiveness, long working lifetime, high ratio performance, instant grinding effect, etc.
Main girt: 30#, 40#, 60#, 80#, 120#.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| 40*12*15 | Upon request<br>根据客户要求 | artificial stone<br>人造石英石/人造岗石 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |



## 马蹄磨块 Metal Bond Frankfurt

马蹄磨块应用于人造石英石、人造岗石的刮平、定厚，适用于抛光流水线机械。具有锋利度好、磨削效率高、使用寿命长、性价比高、划痕细等特点。
主要粒度：30#, 40#, 60#, 80#, 120#.

Frankfurt is used on automatic polishing line for surface calibrating and grinding for artificial quartzite and artificial stone, etc.
Our circular grinding wheels are approved for their good sharpness, excellent abrasiveness, long working lifetime, high ratio performance, instant polishing effect, etc.
Main girt: 30#, 40#, 60#, 80#, 120#.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| 24*10*15 | Upon request<br>根据客户要求 | artificial stone<br>人造石英石/人造岗石 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |





## 人造石金属布拉 Metal-Bond Diamond Fickert for Artificial Stone

人造石金属布拉使用于单头或多头人造石英石、人造岗石抛光流水线机械。具有省电、高效、质量可靠等特点。
主要粒度有：30#、40#、50#、60#、80#、100#、120#、140#、170#、200#、220#、240#、320#、400#。

Metal-bond diamond fickert for artificial stone is used on automatic polishing line for surface calibrating and grinding for artificial quartzite and artificial granite, etc.
Our metal-bond diamond fickerts are approved for their advantages of low consumption, high grinding efficiency and stable quality, etc.
Main girt: 30#, 40#, 60#, 80#, 100#, 120#, 140#, 170#, 200#, 220#, 240#, 320#, 400#.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| L130/L140/L170*H17/H20 | Upon request<br>根据客户要求 | artificial stone<br>人造石英石/人造岗石 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |



## 人造石树脂布拉 Resin-Bond Diamond Fickert for Artificial Stone

人造石树脂布拉主要应用于人造石英石、人造岗石板材的表面磨抛，适用于各种自动连续磨抛机。具有锋利度好、耐磨度好、不染色、磨削效率高等特点。
主要粒度为：220#、320#、400#、600#、800#、1000#、1200#、1500#。

Resin-bond diamond fickert for artificial stone is used on automatic polishing line for surface polishing for artificial quartzite and artificial granite, etc.
Our resin-bond diamond fickerts are approved for their good sharpness, excellent abrasiveness, high grinding efficiency, low environmental pollution, long working lifetime and fantastic grinding effect, etc.
Main girt: 220#, 240#, 320#, 400#, 600#, 800#, 1000#, 1200#, 1500#.

| 规格 Specification | 粒度 Grit | 使用对象 Application | 备注 Note |
|---|---|---|---|
| L170*H16/H22 | Upon request<br>根据客户要求 | artificial stone<br>人造石英石/人造岗石 | Special specification can be ordered by customers.<br>特殊规格可依客户要求定制 |



other specifications
are available upon the request of clients.

ZHONGZHI


Sweden
Latvia
Russia
Lithuania
Poland
Germany
Czech
Ukraine
Switzerland
Yugoslavia
Bulgaria
Spain
Italy
Syria
Malta
Lebanon
Morocco
Israel
Iran
Egypt
U.A.E.
Pakistan
India
China
Korea
Thailand
Vietnam
Yemen
Nigeria
Malaysia
Singapore
Indonesia
Mauritius
SouthAfrica
Australia
Canada
U.S.A.
Mexico
Venezuela
Brazil